

THE BEST FLEXLED LINE-UP ON THE PLANET

12 + 24 VOLT
MINI CUT
FLEXLED STRIPS

25mm
33mm
35mm
41mm
50mm
55mm
60mm
62mm
70mm
100mm
125mm

Tungsten / Neutral / Daylite 120 12V / 192 W

Bi-Color 120 2700k - 5600k 12V / 192 W

RGB 72 12V / 172 W

RGBW 72 12V [2700K / 5600K] / 173 W

Tungsten / Neutral / Daylite 180 SLIM / 14.4 W

Tungsten / Neutral / Daylite 196 / 33.6 W

Tungsten / Neutral / Daylite 60 / 14.4 W

Bi-Color 196 2700k - 6000k 33.6 W

Bi-Color 120 2700k - 6000k 192 W

RGB 96 23 W

RGB 70 Step Up 14.4 W

RGB 60 14.4 W

RGBA 60 All-In-One 192 W

RGBA 240 192 W

RGB+W 96 [3000k/4100k/5600k] 23 W

RGB+W 96 [2700k/4100k/5600k] 23 W

CHAMELEON 60 [2700K /4100K/5600K] 10 ~ 15 W

UV 60 [365NM / 410NM] 14.4 W

RGB+WW+CW 60 AIO [2400K - 6500K] 21W

RGB+WW+CW 180 [2700K - 6000K] 24 W

RGB+WW+CW 210 [3000K - 5600K] 43.2 W

flexible LED products & dimmers
visit us @ www.mossled.com

1.800.924.1585 - info@mossled.com
designed in toronto - fast shipping

MOSS
LED
WWW.MOSSLED.COM

: Spring 2020 Catalogue Directory :

01 / Cinema Work Light
02/ Moss Illumination Luminaires
04/ Eye-Zoom Spotlight
05/ PixlArt 416 Pixel Controller
06/ FlexLED Tape PRO 24V
08/ FlexLED Tape PRO 12V
09/ LED Dimmers
10/ Pixel Lineup
11/ Installation Example

12/ Pixel FlexLED + Pixel Dots
13/ Cardboard Reel Announcement
14/ Aluminum Channels
17/ LuxLine LightSticks
18/ MultiLine Panels
19/ FlexLED Modules
19/ LED+R Rigid Panels
19 / Rotary and Hand-Held Dimmers
20 / Cables, Connectors and Accessories






FULL-SPECTRUM CINEMA WORK LIGHT

Introducing the world's first color-correct, color temperature adjustable work light designed for professionals who demand the best quality light no matter where or when.

Quickly adjust color temperature with 5 different presets.

Three output settings of 500, 1000, and 2000 lumens.

Rated for outdoor use with a water resistant locking charging connector allows for constant-on and recharging use while in any environment.



Color Temperature



Adjustable

2000 Lumens Output

180° Adjustable Handle

3 Brightness Levels

Li-Ion Rechargeable Battery



Specialty Lighting - Moss LED

A new range of LED fixtures designed by
West Coast Illumination & Moss LED.
5 different sizes and 4 different LED configurations.
Tried & tested MossLED Tungsten [2700k], Daylite [5800k], CCT adjustable[2700k -
5800k] ML24 panels, as well as
RGB+CCT Adjustable ML14 panels.



DESIGNED IN L.A. & TORONTO

There is a MI Fixture for every application.

Able to change their physical form in an extremely efficient manner via
quick-lock magnets, the Moss Illumination range of fixtures is sure to be an
unprecedented welcome addition to locations & studios everywhere.



Powerful output, light-weight, high CRI MI Illumination fixtures are built with
durable aluminum instead of plastic. This provides greater heat dissipation for
the LEDs, allowing for higher output emitters and a longer life-span.

The LED engine can be removed from the housing shroud and
can be used with any MossLED ML Panels.



1040 MI Fixture Pictured

www.mossled.com

- All kits include the following:
- Housing • Bi-Color LED
 - LuxBox V3 • 24' Head Cable
 - Power Supply • Half Grid Cloth
 - Full Grid Cloth



5" x 20"

\$1375 USD / \$1850 CAD

520

58 Watts
2.42 Amps
2700k - 5800k

720 X MossLED LED Emitters

5" x 40"

\$1630 USD / \$2189 CAD

540

116 Watts
4.84 Amps
2700k - 5800k

1440 X MossLED LED Emitters

10" x 20"

\$1620 USD / \$2179 CAD

1020

116 Watts
4.84 Amps
2700k - 5800k

1440 X MossLED LED Emitters

10" x 40"

\$2045 USD / \$2748 CAD

1040

232 Watts
9.67 Amps
2700k - 5800k

2880 X MossLED LED Emitters

20" x 40"

\$2675 USD / \$3599 CAD

2040

464 Watts
19.34 Amps
2700k - 5800k

5760 X MossLED LED Emitters

OUTPUT READINGS FOR MOSS ILLUMINATION FIXTURES WITH ML24 BI-COLOUR PANELS - THROW DISTANCE

		12"	24"	36"	48"	60"	72"	84"	96"	
Bi-Colour Panels 5800k @ Full	520	FC	968	310	154	88	60	42	33	25
		LUX	10425	3332	1655	956	648	454	354	265
	540	FC	1201	532	251	175	115	79	64	45
		LUX	12927	5728	2697	1882	1242	845	675	488
	1020	FC	900	360	170	100	80	64	55	40
		LUX	9876	3400	1896	1186	905	691	470	410
	1040	FC	1178	542	322	204	145	110	86	68
		LUX	12673	5829	3458	2190	1544	1180	921	730
	2040	FC	2952	1592	896	577	416	322	240	172
		LUX	31778	17146	9638	6207	4473	3460	2579	1843

		12"	24"	36"	48"	60"	72"	84"	96"	
Bi-Colour Panels 2700k & 5800k @ Full Combined (4000K)	520	FC	1786	617	278	160	100	78	60	45
		LUX	19233	6640	2998	1725	1071	836	637	490
	540	FC	2024	867	508	290	217	154	120.4	88
		LUX	21784	9331	5464	3117	2334	1655	1296	940
	1020	FC	1600	550	300	160	110	84	70	52
		LUX	16146	5802	3590	2019	1531	1159	913	729
	1040	FC	2602	1374	658	425	302	207	164	125
		LUX	28010	14789	7074	4576	3243	2223	1763	1340
	2040	FC	5181	2696	1828	1110	744	528	414	298
		LUX	55769	29012	19677	11954	8001	5681	4460	3203

		12"	24"	36"	48"	60"	72"	84"	96"	
Bi-Colour Panels 3000k or 2700k @ Full	520	FC	752	259	125	77	50	35	28	22
		LUX	8088	2785	1346	813	529	378	300	231
	540	FC	900	498	245	148	105	71	55	41
		LUX	9717	5365	2642	1587	1126	762	588	441
	1020	FC	600	200	110	70	50	37	28	24
		LUX	7241	2809	1422	986	684	540	455	342
	1040	FC	1184	607	290	192	136	102	75	59
		LUX	12734	6529	3122	2068	1461	1090	807	631
	2040	FC	2724	1395	786	517	374	267	202	148
		LUX	29314	15012	8461	5561	4024	2869	2165	1602



58W ~ 464W



24 VOLTS
DC



3000K ~ 5600K



30,000
HOURS



CRI 95+



968 ~ 2724
FOOTCANDLES



QUICK-
RELEASE
MAGNETS



IP44
OUTDOOR
RATED



2 YEAR
WARRANTY



180°
BEAM
ANGLE



-20° ~ 45°



RUGGED
ALUMINUM



ILLUMINATION

: Eye-Zoom Spotlight :

An industry first is our new zoomable RGB+W 10-watt spotlight. Featuring a zoom lens which allows for a 10 degree spot to 40 degree flood with our unique colour-blend technology which results in even colour output across the entire output field no matter what level or zoom angle. A high CRI white LED tuned to 3000k as well as a Red, Green, and Blue LED all in one fixture allows for limitless colour possibilities. Dimmable via our stand-alone Cinque 700ma Constant Current DMX dimmer and any 24V LED driver.

SCAN FOR
MORE INFO



This mini spotlight is a down-light replacement on steroids and will surely become a favourite among lighting professionals as well as set designers, set decorators, and anyone who gets the opportunity to see or use one.

RGBW
ENGINE




: PixlArt 416 Pixel Controller :

An intuitive pixel controller capable of outputting 16 universes across four separate outputs.. Each output can convert 4 universes of pixel control [that's 2,730 RGB pixels or 2,048 RGBW pixels]

Configuration software is free to download via our website and allows grouping of fixtures, adjusting R-G-B order, test control, and powerful pixel routing that is unprecedented in the industry.



Via the latest firmware it supports over 18 different pixel protocols. As an added bonus it also features one standard DMX 512 output allowing for an ethernet to XLR 5 DMX bridge. This



output brings the unit to a total of 17 universes of DMX control.

: FlexLED 24V PRO :



DiffuseFlex LED

DFLX-O24V-
WW27-140-10M



FlexLED 196 White 24V

I24VWW309803
5285P



FlexLED 210 RGB+WW+CW 24V

I24VRGBWCW3
05610505050



FlexLED 180 RGB+WW+CW 24V

IG24VRGBWCW
27609003828



FlexLED 240 RGBA 24V (Individual
Diodes)

I24VRGBA1200
1210



FlexLED 60 RGB+WW+CW 24V
(All-In-One Diode)

I24VRGBWCW2
4653005050



FlexLED 60 RGBA 24V (All-In-One
Diode)

I24VRGBA3005
0605P



FlexLED 60 UV 24V

I24VUV300505
05P



FlexLED 60 White 24V

I24VWW303005
0505P



FlexLED 70 Step-Up 24V (Angle
Adjustable)

I24VSRGB480
50505P

: FlexLED 24V PRO :



FlexLED 96 RGB + White 24V

I24VRGBW3048
050505P



FlexLED 96 RGB + White All-In-One 24V

I24VRGBW2748
050605P




FlexLED Bi-Color 2700K - 5600K
24V (CCT Adjustable)

I24VBC275660
035285P



FlexLED 196 Bi-Color

I24VBCXXX9803528



FlexLED Connectors PCB

CNX2P2WYSDR



FlexLED Connectors QwikClips

CNX2P2WYQK



FlexLED RGB 24V

I24VRGB30050
505P



FlexLEDslim 180 White

I24VWW279002
8355P

: FlexLED 12V PRO :



FlexLED 120 White 12V

112VWW276002
8355P



FlexLED 72 RGB + White AIO (All-In-One) 12V

112VRGBW2736
050605P



FlexLED Bi-Color 2700K - 5600K
12V (CCT Adjustable)

112VBC275660
035285P



FlexLED RGB 12V

112VRGB36050
505P

: FlexLED Kits :



Pluto Kit

www.mossled.com


PLUTOKITV1

: LED Dimmers :



VentiDrive - 24 Channel Dimmer

VENTIDRIVE24



VentiQuattro - 24 Channel Dimmer

CONTRDMX24CH12V24VLC



Dodici-LED - 12 Channel Dimmer

CONTRDMX12CH12V24VLC



Cinque-LED DMX - 5 Channel Dimmer

CONTRDMX5CH12V24VLC



Quad-LED High Current DMX - 4 Channel Dimmer

CONTRDMX4CH12V24VLC



Quad-LED DMX - 4 Channel Dimmer

CONTRDMX4CH12V24VLC



Semi-LED High Current DMX Dimmer - 6 Channel

CONTRDMX6CH12V24VLC



Dual-Quad-LED DMX - 24 Channel Dimmer

CONTRDMX24CH12V24VLC



LUXBOX 3 - 2 Channel Dimmer

LXBXDUALV3



Four Channel RGBW Rotary Dimmer

XFDIMMER4CH12V24V7KHZ

PIXEL PRODUCTS TO MAKE YOUR PROJECT POP!



RGB MID FREQUENCY /
5V / WS2812B / 14.4 W




RGB MID FREQUENCY /
5V / WS2812B / 21.6 W



RGBW MID FREQUENCY /
5V / SK6812 / 28.8 W



RGB HIGH FREQUENCY /
5V / APA102 / 21.6 W



RGB HIGH FREQUENCY /
12V / GS8208 / 28.8 W



RGBW MID FREQUENCY
GROUP CHIP CONTROL /
24V / UCS8904 / 20 W



PIXEL DOTS /
NO DIFFUSER / 5V / APA102



PIXEL DOTS /
WITH DIFFUSER / 5V / APA102



PIXEL DOTS /
WITH DIFFUSER / 12V / WS2801



flexible LED products & dimmers
visit us @ www.mossled.com
1.800.924.1585 - info@mossled.com
designed in toronto - fast shipping

MOSS
LED
WWW.MOSSLED.COM



12V Pixel Dots, RGBW Neon, RGBW DiffuseFlex, RGBA 1210, and RGBW FlexLED
Family Feud Canada
CBC 2020
Designed by InFrame Designs
Installation by Moss Integration & Rentals



: Pixel FlexLED :



PIXEL FLEXLED 5V
RGB MID FREQUENCY

I5VRGB240WS2812B



PIXEL FLEXLED 5V
RGB MID FREQUENCY

I5VRGB360WS2812B



PIXEL FLEXLED 5V
RGBW MID FREQUENCY

I5VRGBWXX360SK6812-PCB-B



PIXEL FLEXLED 5V
RGB HIGH FREQUENCY

I5VRGB360APA102



PIXEL FLEXLED 12V
RGB HIGH FREQUENCY
INDIVIDUAL CHIP CONTROL

I12VRGB480G68208-B



PIXEL FLEXLED 24V
RGBW MID FREQUENCY
GROUP CHIP CONTROL

I24VXXX98035285



PIXEL DOTS [SMALLER]
UNDIFFUSED

O-5V-MOD-5050-D4P-RGB-APA102



PIXEL DOTS [SMALLER]
DIFFUSED


O-5V-MOD-5050-D4PD-RGB-APA102



PIXEL DOTS [LARGER]
DIFFUSED

O-12V-MOD-5050-D4PD-RGB-WS2801

'Reel' News Bulletin:



MossLED is switching from using plastic to cardboard product reels.



Expect to see them soon as existing stock is depleted.




**BEFORE:
PLASTIC**



**AFTER:
CARDBOARD**



We'll continue finding ways to serve our customers and our planet in 2020+



: Aluminum Channels :



Aluminum Channel - MOSS-
ALM-2020

ALM2020M2MS



Aluminum Channel - MOSS-
ALM-2027

ALM2027P2MS



Aluminum Channel - MOSS-
ALM-2310

ALM2310P2.44
MS



Aluminum Channel - MOSS-
ALM-2507

ALM2507M2MS



Aluminum Channel - MOSS-
ALM-2515

ALM2515PMM
ALMR



Aluminum Channel - MOSS-
ALM-2618

ALM2618M2MS



Aluminum Channel - MOSS-
ALM-2618B

ALM2618BM2
MS



Aluminum Channel - MOSS-
ALM-2621

ALM2126M1M
R



Aluminum Channel - MOSS-
ALM-2828

ALQ3028M2MS



Aluminum Channel - MOSS-
ALM-3428

ALM3428M1M
R

: Aluminum Channels :



Aluminum Channel - MOSS-
ALM-3535

ALM3535M2.44
MR



Aluminum Channel - MOSS-
ALM-5208

ALM5208M1MS



Aluminum Channel - MOSS-
ALM-6009

ALM6009M2M
H



Aluminum Channel - MOSS-
ALM-7024-7060B

ALM7060BM2
MR



Aluminum Channel - MOSS-ALM-
O3030C

ALMO3030CM1
MH



Aluminum Channel - MOSS-ALM-
O6060C

ALMO6060CM1
MH



Aluminum Channel - MOSS-ALM-
P3030

ALMP3030M2.4
4MS



Aluminum Channel - MOSS-ALM-
T2114B

ALMT2114BM2
MS



Aluminum Channel - MOSS-
ALQ-1807

ALQ1807M2.44
MS



Aluminum Channel - MOSS-
ALQ-1919H

ALQ-1919H-
M2.44MS

: Aluminum Channels :



Aluminum Channel - MOSS-
ALH-1212

ALH1212NA2M



Aluminum Channel - MOSS-
ALJ-2210-2208

ALM2208M1MS



Aluminum Channel - MOSS-
ALLL-5035-D

ALLL5035D2M
S



Aluminum Channel - MOSS-
ALM-1520

ALM1520M2MS



Aluminum Channel - MOSS-
ALM-1612

ALM1612M1MS



Aluminum Channel - MOSS-
ALM-1707

ALM1707M1MS



Aluminum Channel - MOSS-
ALM-1815

ALM1815M1MS



Aluminum Channel - MOSS-
ALM-1919

ALM1919M2MS



Aluminum Channel - MOSS-
ALM-2016B

ALM2016BM2.4
4MS



Aluminum Channel - MOSS-
ALM-2019

ALM2019P1MH

: Aluminum Channels :



Aluminum Channel - MOSS-
ALQ-3535F

ALQ3535FM2M
S



Aluminum Channel - MOSS-
ALQ-4542

ALQ4542M2M



Aluminum Channel - MOSS-ALS-
A2016

ALSA2016M1M
S



Aluminum Channel - MOSS-
ALSST-8035B

ALSST8035BF2
.44M

: LuxLine LightSticks :



LUXLine LightSticks

www.mossled.com
LXLNI24VWW3
035285P

: ML Panels :



ML12 Panel FlexLED

24VML12BC11
52MMW5P



ML14 Panel FlexLED RGBBC

24VML14RGBB
C30 500MM



ML2 Panel FlexLED

24VML2BC250
MM5P



ML21 Panel FlexLED

24VML21BC50
0MM



ML24 Panel FlexLED

24VML24BC30
561000MMW



ML4 Panel FlexLED

24VML4BC250
MM5P



ML6 Panel FlexLED


24VML6BC250
MM5P

: FlexLED Modules :



Module 12-LED RGB+W

W24VMOD5050
3528D4PRGBW
30



Module 18-LED RGB+WW+CW

I24VRAWMOD5
0502835R RGBW
CW2736

: LED+R Rigid Panels :



24V RGB+W Panel 1x1

RGBW1544950
602835



Ceiling Tile Panel

24VRGBW5615
21213



LED+R RGBW Rigid Panel

RGBW5615430
850602835

: Rotary and Hand-Held Dimmers :



Four Channel RGB Rotary Dimmer

XFDDIMMER4C
H12V24V7KHZ



LUXBOX 3 - 2 Channel Dimmer

LX8XDUALV3



Single Channel Rotary Dimmer

XDIMMER1CH
12V24V-V2



Three Channel RGB Rotary Dimmer

XFDDIMMER3C
H12V24V2KHZ

: Cables, Connectors, and Accessories :



Extension Cable 5-PIN

5PM01225PF



Extension Cable 5-PIN Connector
Field Installable Plug

5PMFIP



Extension Cable 5-PIN Y-Cable 3-
Way

5PMY5PF2WY



Flat Cable

206CFLTBYWG
BR



Heat Shrink

Q2-F-1 8 1M



Jumper Cables

18-1C-JW-B-45



MP100 Battery Pack Output Cable
(Female to Female)

CAB12VMP100



Neutrik XLR Connector

NTR-NC3MXX-
B



O-Ring Splice

PV1410RM



Output Connector DC Female
Plugs X 2 DC Barrel Female Plug

DCBRLFL-
PLUGX2

: Cables, Connectors, and Accessories :



3-PIN Connector - Field Installable Plug

3PMFIP



3.5MM Field Installable Plug Plug

35MMFIP



3.5MM Stereo Cable (for Gantom fixtures)

35MM3FOOT



3.5MM Stereo Y Cable (for Gantom fixtures)

35MMYCABLE



5-PIN Female Connector Tail

5PF0030BW



5-PIN Male Connector Tail

5PM0030BW



6' Locking IEC Cable

IL13-US1-SVT-3100-183



BP90 Battery Pack Output Cable (Female to Female)

CABZ6BATBP90



Butt Splice 22 18 AWG

BSN18M1



C7 Power Cable

C7POWERCABLE

: Cables, Connectors, and Accessories :



DC Cables

DCMYDCF2WY
L



DC Female Field Installable Plug
High Current

KPJXCM4S



DC Field Installable Plug DC
Barrel

DCFFIP



DC Quick Clamp Terminal Block
DC Barrel Male

DCBRLF2TRNL



DMX Terminator Kit

DMXTPACK



DMXComponder

DMXCOMPAND
ER



DMXTerminator RJ45 (Ethernet)

DMXTERMINA
TOR-RJ45



Edison Plug - HBL8115V

HBL8115VB



Ethernet Network Cable 10FT
High Quality Cat5e 350MHz UTP
RJ45

1FTBLKCAT5E



Express BusBar

IG-
EXPRSBSBR-10
M

: Cables, Connectors, and Accessories :

				
Quick Clamp Strip to Strip (Direct)	Quick Clamp Strip to Strip (With Wire)	Quick Clamp with Wire	R7B Female Connector to Bare Wire 30CM 16AWG	RJ45 to RJ45 (Ethernet)
S2S8MMSCQC D	S2S8MMSCQC	S2W10MMRGB QC	R7B0030BW	DMXTENDER- RJ45
				
Screw Terminal Block to DC Barrel DC Barrel Male	Terminal Block - 12 Position 12 Position Terminal Block Pluggable	Terminal Block - Pluggable	Terminal Block - Pluggable (Quick Release) 5 Position	TRUE1 Male to Female Cables
DCBRLF2STRM L	12POSFDTHRU	2POSTRMBLK	5POSTRMBLKQ R	DGX- NAC3FX-0091- NAC3MX

: Cables, Connectors, and Accessories :



XLR 5-PIN to RJ45 (Ethernet)

XLRJ45-5F



XLR Adapter Cable 5-PIN to 3-PIN

3PINMT05PIN



XLR Extension Cable

X5DMX152



Car Charger - 24V 120W Output

CARCHARGER2
4V120W

: Power Supplies & LED Drivers :



HLG IP65 Fanless & Metal Housed
Power Supplies

HLG185H24A

www.mossled.com



OWA Power Supplies

DWA60U24P1M



GST Desktop Style Power Supplies

GST280A12-
C6P



Dimmable Class 2 Power Supply -
200W

XLD200-2-24V-
FC



Dimmable Power Supply

KVP24025TDLP

THANK YOU

thank you to all of our customers
who chose us in 2018 and 2019

we are happy to support so many outstanding
people and the productions they work on

we look forward to continuing to serve you in 2020





Contact Us:

info@mossled.com | 416.463.6677 | 1.800.924.1585

www.mossled.com

313 Evans Avenue, Toronto, Ontario, Canada, M8Z 1K2

Follow Us:

<https://www.facebook.com/mossledinc>

<https://www.instagram.com/mossleddotcom/>

<https://twitter.com/mossled>

<https://www.pinterest.com/mossled>

: your source for exciting
LED technology :